



Inseparable bonding



Quality makes the difference

We are an ISO 9001 : 2008 company. Almost a decade- long expertise speaks volumes of our strengths. Quality consciousness has been our forte; needless to say, we never compromise for anything less than the best, what is to be delivered as our end-product. Winning the confidence of our patrons, dealers and domestic consumers has been our primary goal. Every inter-locking concrete paver that comes out has its' own richness of elegance besides having long-lasting endurance.




TECHNICAL SPECIFICATIONS OF PAVERS


Sl.No.	Description	As per IS 15658:2006
1	Dimension tolerance	< 100 mm tk
	Length	± 2 mm
	Width	± 2 mm
	Thickness	± 3 mm
	Chamfer	± 1 mm
	Squareness	± 2 mm
2	Specified compressive strength	30-50 N/mm ² (dep on traffic)
3	Water absorption	< 6%

Note: Above specifications are applicable for standard products.
Other specifications are also available as per customer requirements.


I-Section paver




Grand paver




Castle paver - reflective




Uni - paver




Sinusoidal paver




Uni-paver reflective




Hexagon paver



Rectangle paver



Grass paver







PRODUCT-WISE WEIGHTS AND DIMENSIONS

Sl.No.	Product	Size in mm L x W x Tk	Wt.per pavers in Kgs	Nos. per Sq.Ft.	Nos. per Sq.Mt.
1	Uni paver	200x100x100	4.70	4.64	50
2	Uni paver	225x112.5x80	4.84	3.71	40
3	Uni paver	225x112.5x60	3.26	3.71	40
4	Grand paver	200x115x80	4.69	3.53	38
5	Grand paver	200x115x60	3.50	3.53	38
6	Rectangle paver	200x100x80	3.60	4.64	50
7	Rectangle paver	200x100x100	4.65	4.64	50
8	Castle paver	200x165x80	4.90	3.35	34
9	Castle paver	200x165x60	3.67	3.35	34
10	↑-section paver	200x145x80	4.22	3.81	41
11	↑-section paver	200x145x60	3.21	3.81	41
12	Hexagon paver Big	2.596x135 sqr x 65	6.26	1.99	21.5
13	Hexagon paver Small	2.596x125 sqr x 50	4.1	2.28	24.6
14	Grass paver	250x250x80	7.90	1.49	16.00
15	Sinusoidal paver	250x200x130	14.00	1.86	20.00
16	Reflective uni paver	250x123x80	5.27	3.15	33.8
17	Reflective uni paver	250x123x60	3.95	3.15	33.8
18	Reflective Castle	200x165x80	4.93	3.35	34
19	Reflective Castle	200x165x60	3.69	3.35	34
20	Flooring design tiles	300x300x25	4.15	1	10.76
21	Chequered cement tiles	300x300x25	4.15	1	10.76

Note: May vary to actual weights and dimensions

PRODUCT DIMENSIONS AND WEIGHT




Sl.No.	Product	Size in mm	Wt per pavers in kgs
1	Fyash bricks	230x110x75	3.55
2	Fyash bricks	290x100x140	7.50
3	Fyash bricks	290x225x140	17
4	Fyash bricks	300x230x115	18
5	Fyash bricks	300x230x200	30

Note: May vary to actual weights and dimensions


PRODUCT DIMENSIONS AND WEIGHT

Sl.No.	Product	Size in mm H x W x Tk	Wt per paver in Kgs
1	Kerb blocks (Hand mould)	400 x300 x100	26.5
2	Kerb blocks (Rubber mould)	375 x 305 x 110	28
3	Kerb blocks (Columbia Machine made)	400 x 300 x 145	35
4	Kerb blocks (HESS Machine made)	450x400x115	41.5


Note: May vary to actual weights and dimensions



Heavy-duty pavers



Uni-paver
60/80/100 mm



Trihex
45/60/80 mm



Rectangle / Brick type
60/80/100 mm



Grass
80 mm



Castle
60/80 mm



Grand
60/80 mm



Hexagon
65 mm

Reflective pavers




Square
200*200*60 mm
150*150*60 mm



Jigsaw
40/60 mm



Venus
40/ 60 mm



Rectangular Flags
300*600*60 mm
300*450*60 mm



Colorado
40/60 mm



Barbie
25/40/60 mm



Antique
40/60 mm

Kerb stones



KB-1
400H*300W*100T



KB-2
200H*300W*60T



KB-2
375H*305W*110T



KB-3
400H*300W*145T



KB-4
450H*400W*115T



Z-kerb



Flooring tiles



Cracker 300x300 / 405x405



Viewer 300x300 / 405x405



Hexagon



Chequered 300x300 / 380x380




Lexus 380x380



Octagon



Garnett 300x300



Spectra 405x405



Rock-jewel 382x382



Elevator 405x405



Step-B 300x300



Step-S 300x300



Ordinary chequered
300x300



Ordinary circles
300x300

Cement / Flyash Bricks





With the invention of a wheel, technology started rolling on and on. New things begin to replace with conventional and obsolete practices. Needless to say, we too have been tuning ourselves in tune with ever-changing new-age innovations. As a result of this, we have been edging over others in terms of technological applications in the making of inter-locking concrete pavers. The sophisticated machinery imported from Germany and the US for our factory, ensures durability. With uniform mixing process, excellent concrete pavers and bricks are made to suit even rugged pavements and walls. The pavers and bricks we manufacture are rich in quality. Now, we are the leaders in the market with our own identity.







The inter-locking concrete pavers we make find their places everywhere. Airports, ship-yards are among those many number of locations, where our products are highly and uncompromisingly favoured. Because, the quality of our concrete pavers is unparalleled and considered highly supreme. We always compete with ever-growing technology, when it comes to updating and upgrading of our product quality to make it sustainable for an everlasting durability.






Available colours in reflective pavers & tiles



Available colours in ordinary pavers



Some of our clients



Inseparable bonding

SATYA CONCRETE PAVERS PVT LTD

Factory : Zami Machavaram (V), Kethanakonda,
Ibrahimpattanam (M), Krishna District. Ph : 08659 282212
Head Office : D.No. 48-10-19, Opp. NTR Health University, Nagarjuna Nagar,
Vijayawada-520008. Ph: 0866 2543139.
Mob: 09603779999, 09848028680, 09542842999
e-mail : satyaconcrete@gmail.com